



Safety Data Sheet

according to WHS Regulations

Printing date 22.01.2018

Revision: 22.01.2018

1 Identification

Product Name: BLUE SILICA GEL/SILICON DIOXIDE**Other Means of Identification:** Mixture**Recommended Use of the Chemical and Restriction on Use:**

Pipe line dryers, transformer breathers, protection of electronic equipment from moisture and general application where moisture control and prevention is critical.

Details of Manufacturer or Importer:

Enviro-Tronics
Unit 3, 175 Briens Rd
Northmead NSW 2152

Phone Number: 02 9630 5277**Emergency telephone number:** 0413 943 153

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



health hazard

Respiratory Sensitisation 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ Cell Mutagenicity 2 H341 Suspected of causing genetic defects.

Carcinogenicity 1B H350i May cause cancer by inhalation.

Toxic To Reproduction 1B H360F May damage fertility.



Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger**Hazard Statements**

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350i May cause cancer by inhalation.

H360F May damage fertility.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 22.01.2018

Revision: 22.01.2018

Product Name: BLUE SILICA GEL/SILICON DIOXIDE

(Contd. of page 1)




- P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P284 [In case of inadequate ventilation] wear respiratory protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P321 Specific treatment (see on this label).
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

60676-86-0	Silica, fused	≥95%
7646-79-9	Cobalt dichloride 	≤3%
1309-37-1	Iron oxide	<1%
1344-28-1	Aluminium oxide (Al ₂ O ₃)	<1%
1305-78-8	Calcium oxide 	<1%
1313-59-3	Sodium oxide 	<1%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, immediately induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation, headaches, dizziness, coughing, nausea and vomiting. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Contact: May cause an allergic skin reaction.

Eye Contact: May cause eye irritation.

Ingestion: May cause gastric disturbances and chemical pneumonitis.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 22.01.2018

Revision: 22.01.2018

Product Name: BLUE SILICA GEL/SILICON DIOXIDE

(Contd. of page 2)

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

This product is not combustible or flammable.

Containers close to fire should be removed only if safe to do so.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Do not reuse containers. Empty containers may contain harmful residues.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Contaminated work clothing must not be allowed out of the workplace. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Keep away from chlorine trifluoride.

8 Exposure Controls and Personal Protection

Exposure Standards:

60676-86-0 Silica, fused

WES TWA: 0.1 mg/m³

1309-37-1 Iron oxide

WES TWA: 5 mg/m³

1344-28-1 Aluminium oxide (Al₂O₃)

WES TWA: 10 mg/m³

1305-78-8 Calcium oxide

WES TWA: 2 mg/m³

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 22.01.2018

Revision: 22.01.2018

Product Name: BLUE SILICA GEL/SILICON DIOXIDE

(Contd. of page 3)

air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Solid
Colour:	Blue
Odour:	Odourless
Odour Threshold:	No information available
pH-Value:	Not applicable
Melting point/freezing point:	Not determined
Initial Boiling Point/Boiling Range:	Not determined
Flash Point:	Not determined
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not determined
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not determined
Upper:	Not determined
Vapour Pressure:	No information available
Relative Density:	2.2
Vapour Density:	Not determined
Evaporation Rate:	Not applicable
Solubility in Water:	Insoluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Chlorine trifluoride.

Hazardous Decomposition Products: No hazardous decomposition products known.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 22.01.2018

Revision: 22.01.2018

Product Name: BLUE SILICA GEL/SILICON DIOXIDE

(Contd. of page 4)

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:		
7646-79-9 Cobalt dichloride		
Oral	LD ₅₀	>80 mg/kg (rat)
1309-37-1 Iron oxide		
Oral	LD ₅₀	>15,000 mg/kg (rat)
1344-28-1 Aluminium oxide (Al₂O₃)		
Oral	LD ₅₀	>80 mg/kg (rat)

Acute Health Effects**Inhalation:**

May cause respiratory irritation, headaches, dizziness, coughing, nausea and vomiting. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin: May cause an allergic skin reaction.

Eye: May cause eye irritation.

Ingestion: May cause gastric disturbances and chemical pneumonitis.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation:

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ Cell Mutagenicity: Suspected of causing genetic defects.

Carcinogenicity:

May cause cancer by inhalation.

Ferric oxide is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: May damage fertility or the unborn child.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Repeated or prolonged skin exposure may cause skin irritation or dermatitis.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity:

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 22.01.2018

Revision: 22.01.2018

Product Name: BLUE SILICA GEL/SILICON DIOXIDE

(Contd. of page 5)

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances:

60676-86-0	Silica, fused
7646-79-9	Cobalt dichloride
1309-37-1	Iron oxide
1344-28-1	Aluminium oxide (Al ₂ O ₃)
1305-78-8	Calcium oxide
1313-59-3	Sodium oxide
7732-18-5	Water

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not Scheduled.

16 Other Information

Date of Preparation or Last Revision: 22.01.2018**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Respiratory Sensitisation 1: Respiratory sensitisation, Hazard Category 1

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2

Carcinogenicity 1B: Carcinogenicity – Category 1B

Toxic To Reproduction 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 22.01.2018

Revision: 22.01.2018

Product Name: BLUE SILICA GEL/SILICON DIOXIDE

(Contd. of page 6)

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Enviro-Tronics makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.